



STRUXXURE® MCS

Modular Cervical System



SYSTEM FLEXIBILITY

2, 3, and 4-Hole Plates provide options for revision, segmental, and reduced step procedures.



REDUCED PLATE LENGTH

Screw fixation designed for placement close to endplates reducing adjacent level challenges.

317-436-7801
Info@NexxtSpine.com
14425 Bergen Blvd, Suite B
Noblesville, IN 46060
70-129, Rev B




SYSTEM SPECIFICATIONS




SURGICAL EFFICIENCY

Reduced intraoperative steps and use for segmental fixation.




REVISION PROCEDURES

Central placed screw designed to clear existing screw fixation.



MAXIMUM STABILITY

Four points of screw fixation similar to STRUXXURE® -C.




INTERBODY BOSS

Optimally positions the interbody within the intradiscal space.



HIGH-GRIP TEETH

Designed to assist in robust fixation to the vertebral body.



SINGLE DRIVER

Same T20 Driver for Screw Insertion and engaging the Turn Locks.




10-26°
Variable Screws (V)

10-22°
Fixed Screws (F)


SCREW OPTIONS

THR screws optional

Self Drilling



Self Tapping



Struxxure MCS Plates



All MCS Plates are
QTY 3 for each size.

5-10mm,
1mm increments.

Self-Drilling, Variable Screws


L / Ø	Ø4.0	Ø4.35
12mm	8	2
14mm	8	2
16mm	8	2
18mm	N/A	2

Self-Drilling, Fixed Screws


L / Ø	Ø4.0	Ø4.35
12mm	8	2
14mm	8	2
16mm	8	2
18mm	N/A	2

SIMPLIFIED INSTRUMENTS


Standard Plate Placement




Place Plate



Hole Prep




Insert Screws




Remove Inserter


Plate and Cage Construct Placement




Place Construct



Hole Prep



Insert Screws



Remove Post




PLATE LOADING BLOCKS

Aids in the assembly of plate and cage for simultaneous insertion for all plate geometries.


Compatible Nexxt Matrixx® Cervical Interbodies

Nexxt Matrixx® Cervical



DxW(mm)	Heights (mm)	Lordosis
12 x 14	5-10, 11-18	0°, 6°, 10°
14 x 16	5-10, 11-18	0°, 6°, 10°
16 x 18	5-10, 11-18	0°, 6°, 10°

Nexxt Matrixx® CONVEXX™



DxW(mm)	Heights (mm)	Lordosis
12 x 14	5-10, 11-12	6°
14 x 16	5-10, 11-12	6°
16 x 18	5-10, 11-12	6°

*Some footprints only available [By Request](#).
Please contact Info@NexxtSpine.com for full SKU.

Nexxt Spine, LLC
14425 Bergen Blvd, Suite B
Noblesville, IN 46060
(317) 436-7801
Info@NexxtSpine.com
NexxtSpine.com



Contact customer service at Info@NexxtSpine.com for full SKU offering. For indications, contraindications, warnings, precautions, potential adverse effects and patient counseling information, see the package insert or contact your local representative; visit NexxtSpine.com for additional product information. All rights reserved. All content herein is protected by copyright, trademarks and other intellectual property rights owned by Nexxt Spine, LLC and must not be redistributed, duplicated or disclosed, in whole or in part, without the expressed written consent of Nexxt Spine, LLC. This material is intended for healthcare professionals, the Nexxt Spine sales force and authorized representatives. Distribution to any other recipient is prohibited.